

AccuSpike-IR Product Specification and Analysis Report

Product: 2.0 mL, self-standing, polypropylene microtube containing 100 each, counted by flow-cytometry cell sorting, of *Giardia lamblia*, H3 isolate, cysts and *Cryptosporidium parvum*, Iowa isolate, oocysts suspended in 0.75 mL of a de-ionized water/0.01% Tween 20 solution. AccuSpike-IR is designed for percent recovery determination with matrix (environmental) and reagent water samples by US EPA Methods 1622, 1623, and 1623.1.

Species/genus identification method: Direct immunofluorescence microscopy with genus-specific monoclonal antibodies; also phase microscopy.

Purification method: Cysts and oocysts are purified from feces by sucrose and Percoll density gradient centrifugation.

Quantitation method: Cells enumerated using flow cytometry.

Storage Conditions: 4 C. DO NOT FREEZE.

Inactivation/Sterilization: Gamma irradiation.

Lot# 140

Preparation: 08/08/2023

Expiration: 10/31/2023 for *Giardia* & *Cryptosporidium* analysis

Expiration: 11/28/2023 for *Cryptosporidium* analysis ONLY

Calibration Data

Test:	Spike Preparation	Spike Preparation
Organism:	<i>Cryptosporidium</i>	<i>Giardia</i>
Source of Organism:	Experimentally infected mice.	Experimentally infected gerbils.
Organism strain:	CpAZ	H3
Stock suspension lot number:	72423-116	230731
Date cells collected by source:	7/25/23	7/25/23
Date of initial calibration:	8/2/23	8/2/23
Age of cells (in days):	8	8
Storage media:	De-ionized Water/0.01% Tween 20	De-ionized Water/0.01% Tween 20
Storage temperature:	4 C	4 C
Viability (PI) before Irradiation	99.9%	99.5%
Mean of the counts:	99.50	100.30
Standard deviation of the counts:	1.00	0.90
Relative standard deviation:	1.00	0.90

Notes from Sorting Facility:

- (1) Mean, standard deviation and relative standard deviation are calculated from a minimum of 12 calibration verification samples per set of 10 standards.
- (2) Parasites are evaluated for general quality and intactness under DIC microscopy prior to use.